

Soustruhy > CNC > E 160A

Inv. číslo:	108257
Typ:	E 160A
Parametry:	280 mm, 300 mm
Výrobce:	Hyundai
Rok výroby/SO/GO:	2018/-/-
Lokalita:	Česká republika
Popis:	<p>Stroj je v dobrém technickém stavu, možno vyzkoušet pod proudem. Řídící systém: FANUC i-series Hodiny celkem: 5042 h Provozní hodiny: 2531 h Max. délka soustružení: 300 mm Max. průměr soustružení: 280 mm Maximální délka posuvu v ose X: 165 mm Maximální délka posuvu v ose Z: 330 mm Maximální výkon hlavního vřetena: 11 kW Maximální otáčky: 6000 1/min Vybavení: Podavač tyčí AutoBar 65 (1.5 m) C-osa Dopravník třísek Držáky Sklíčidlo CNC koník Nástroje Nástrojová sonda The machine is in good technical condition, can be tested under power. FANUC i-series control system Total hours: 5042 h Operating hours: 2531 h Max. turning length: 300 mm Max. turning diameter: 280 mm Max. feed length in X-axis: 165 mm Maximum feed length in Z axis: 330 mm Maximum power of main spindle: 11 kW Maximum speed: 6000 1/min De9bc0rm Equipment: AutoBar 65 bar feeder (1.5 m) C-axis Chip conveyor Holders Chuck CNC tailstock Tools Tool probe</p>









