

Frézky > CNC > KX 3

Inv. číslo:	108321
Typ:	KX 3
Parametry:	160x450 mm
Výrobce:	Numco
Rok výroby/SO/GO:	2013/-/-
Lokalita:	Česká republika
Popis:	Stroj je v dobrém technickém stavu. Řídicí systém: MACH 3 Délka pracovního stolu: 450 mm Šířka pracovního stolu: 160 mm T-drážky/počet: 3 T-drážky/velikost: 12mm Rozsah posuvu: Pojezd osy X: 300 mm Pojezd osy Y: 150 mm Pojezd osy Z: 290 mm Maximální průměr vrtání: 20 mm Kužel: MK3 Rychloposuv - osa X/Y/Z: 2000mm/min Včetně dokumentace. Rozměry stroje: dxšxv: 780 x 1750 x 800mm Hmotnost stroje: 220 kg Po předchozí domluvě možnost prohlídky v chodu.









1. KX3 CNC Milling Machine Specifications

End Milling Capacity	25mm
Face Milling Capacity	80mm
Drilling Capacity	20mm
Table Size	550x160mm
Lubrication	One-Shot System*
Table travel - X axis	300mm
Table travel - Y axis	120mm
Head travel - Z axis	270mm
Head-Table Distance	80-350mm
Ballscrew Size (Dia./Pitch)	20mm x 4mm
X axis Motor	4Nm
Y axis Motor	4Nm
Z axis Motor	6Nm
Throat	190mm
No. of slots on table	3 (12mm)
Positional Accuracy	0.01mm
Spindle Taper	MT3 or R8
Drawbar Thread	7/16" UNF
Spindle Motor	1000w Brushless DC
Spindle Speed	100-5000rpm
Max. Spindle Motor Torque	5.5Nm @ 1500RPM
Power Requirement	230v AC 50Hz or 120v AC 60Hz
Overall Dimensions (w/d/h)	850 x 900 x 940mm
Max Space Required (w/d/h)	1145x900x940mm
Shipping Dimensions	102x100x112cm
Weight (Net/Gross)	201/240kg

* Oil daily with SAE 30 grade hydraulic oil or transmission fluid

Technical Guide: C-1-1