

Lisy > ohraňovací > HFE 100-3

Inv. číslo:	108786
Typ:	HFE 100-3
Parametry:	3110 mm, 100 t
Výrobce:	Amada
Rok výroby/SO/GO:	2003/-/-
Lokalita:	Česká republika
Popis:	<p>Stroj je v dobrém technickém stavu, po předešlé domluvě možnost odzkoušení. Lisovací síla: 100 t Maximální délka ohraňování : 3110 mm Chod nosníku: 200 mm Nájezdová rychlost: 100 mm / sek Provozní rychlost: 1 - 20 mm / sek Rychlost návratu: 1 - 100 mm / sek Zdvih max.: 420 mm Osy: 7 (X1, X 2, Y1, Y2, R1, Z1, Z2) Montážní výška max.: 470 mm Řídící jednotka: OP 2000 CNC. Hodiny práce: 37 780 Výkon pohonu: 7.5 kW Barva: červená a černá Hmotnost: 6 730 kg Rozměry stroje D * Š * V: 4 535 mm * 2 580 mm * 2 680 mm.</p> <p>The machine is in a good technical condition, after agreement the possibility to test it under power. Pressing force: 100 t Maximum bending length: 3110 mm Beam travel: 200 mm Approach speed: 100 mm / sec Operating speed: 1 - 20 mm / sec Return speed: 1 - 100 mm / sec Stroke max .: 420 mm Axes: 7 (X1, X2, Y1, Y2, R1, Z1, Z2) Installation height max .: 470 mm Control unit: OP 2000 CNC. Hours of work: 37 780 Engine power: 7.5 kW Color: red and black Weight: 6 730 kg Machine dimensions L * W * H: 4,535 mm * 2,580 mm * 2,680 mm.</p>



